

COVID-19 VACCINE

- CDC recommends that everyone 6 months and older receive an updated COVID-19 vaccine, regardless of whether they previously completed their primary series
- The COVID-19 vaccine may be given at the same time as other vaccines
- Adults 65 and older may benefit from an additional dose of an updated COVID-19 vaccine

The following Covid-19 Vaccine types are currently authorized by the U.S. Food & Drug Administration (FDA):

1. mRNA vaccines
 - Moderna COVID-19 Vaccine
 - Pfizer-BioNTech COVID-19 Vaccine
2. Protein subunit vaccine
 - Novavax COVID-19 Vaccine, Adjuvanted

INFLUENZA (FLU) VACCINE

- CDC recommends that everyone 6 months and older get vaccinated EVERY flu season
- It takes about 2 weeks for protection to develop after vaccination
- A new flu vaccine is made every year to protect against flu viruses likely to cause disease in the upcoming flu season
- The best time to receive the flu shot is September and October. Vaccination should continue to be offered as long as influenza viruses are circulating, and unexpired vaccine is available.
- The flu vaccine may be given at the same time as other vaccines

For people 65 and older, there are 3 flu vaccine types recommended:

1. Fluzone High-Dose Quadrivalent vaccine
2. Flublock Quadrivalent recombinant vaccine
3. Flud Quadrivalent adjuvanted flu vaccine

This material was prepared by Health Quality Innovators (HQI), a Quality Innovation Network-Quality Improvement Organization (QIN-QIO) under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services (HHS). Views expressed in this material do not necessarily reflect the official views or policy of CMS or HHS, and any reference to a specific product or entity herein does not constitute endorsement of that product or entity by CMS or HHS. 1250W/HQI/QIN-QIO-0546-05/30/23

COVID-19 VACCINE

- CDC recommends that everyone 6 months and older receive an updated COVID-19 vaccine, regardless of whether they previously completed their primary series
- The COVID-19 vaccine may be given at the same time as other vaccines
- Adults 65 and older may benefit from an additional dose of an updated COVID-19 vaccine

The following Covid-19 Vaccine types are currently authorized by the U.S. Food & Drug Administration (FDA):

1. mRNA vaccines
 - Moderna COVID-19 Vaccine
 - Pfizer-BioNTech COVID-19 Vaccine
2. Protein subunit vaccine
 - Novavax COVID-19 Vaccine, Adjuvanted

INFLUENZA (FLU) VACCINE

- CDC recommends that everyone 6 months and older get vaccinated EVERY flu season
- It takes about 2 weeks for protection to develop after vaccination
- A new flu vaccine is made every year to protect against flu viruses likely to cause disease in the upcoming flu season
- The best time to receive the flu shot is September and October. Vaccination should continue to be offered as long as influenza viruses are circulating, and unexpired vaccine is available.
- The flu vaccine may be given at the same time as other vaccines

For people 65 and older, there are 3 flu vaccine types recommended:

1. Fluzone High-Dose Quadrivalent vaccine
2. Flublock Quadrivalent recombinant vaccine
3. Flud Quadrivalent adjuvanted flu vaccine

This material was prepared by Health Quality Innovators (HQI), a Quality Innovation Network-Quality Improvement Organization (QIN-QIO) under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services (HHS). Views expressed in this material do not necessarily reflect the official views or policy of CMS or HHS, and any reference to a specific product or entity herein does not constitute endorsement of that product or entity by CMS or HHS. 1250W/HQI/QIN-QIO-0546-05/30/23

COVID-19 AND FLU VACCINES

COVID-19 VACCINE

- CDC recommends that everyone 6 months and older receive an updated COVID-19 vaccine, regardless of whether they previously completed their primary series
- The COVID-19 vaccine may be given at the same time as other vaccines
- Adults 65 and older may benefit from an additional dose of an updated COVID-19 vaccine

The following Covid-19 Vaccine types are currently authorized by the U.S. Food & Drug Administration (FDA):

1. mRNA vaccines
 - Moderna COVID-19 Vaccine
 - Pfizer-BioNTech COVID-19 Vaccine
2. Protein subunit vaccine
 - Novavax COVID-19 Vaccine, Adjuvanted

INFLUENZA (FLU) VACCINE

- CDC recommends that everyone 6 months and older get vaccinated EVERY flu season
- It takes about 2 weeks for protection to develop after vaccination
- A new flu vaccine is made every year to protect against flu viruses likely to cause disease in the upcoming flu season
- The best time to receive the flu shot is September and October. Vaccination should continue to be offered as long as influenza viruses are circulating, and unexpired vaccine is available.
- The flu vaccine may be given at the same time as other vaccines

For people 65 and older, there are 3 flu vaccine types recommended:

1. Fluzone High-Dose Quadrivalent vaccine
2. Flublock Quadrivalent recombinant vaccine
3. Flud Quadrivalent adjuvanted flu vaccine

This material was prepared by Health Quality Innovators (HQI), a Quality Innovation Network-Quality Improvement Organization (QIN-QIO) under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services (HHS). Views expressed in this material do not necessarily reflect the official views or policy of CMS or HHS, and any reference to a specific product or entity herein does not constitute endorsement of that product or entity by CMS or HHS. 1250W/HQI/QIN-QIO-0546-05/30/23

COVID-19 AND FLU VACCINES

VACCINE ADMINISTRATION PROCESS

1. Review Immunization History
2. Assess for Needed Immunization
3. Screen for Contraindications and Precautions
4. Provide Education
5. Document Education
6. Prepare Vaccine
7. Administer Vaccine
8. Document Vaccination in medical registry and state vaccine registry

FLU VACCINE SPECIAL CONSIDERATIONS: SEEK CLINICIAN GUIDANCE

1. People with egg allergy
2. People with previous severe allergy with influenza vaccine
3. People with a history of Guillen Barre syndrome



COVID-19 Vaccine Schedule | CDC



Flu & People 65 Years and Older | CDC



COVID-19 Vaccines | CDC



People at Higher Risk of Flu Complications | CDC



Seasonal Flu Vaccines | CDC



VACCINE ADMINISTRATION PROCESS

1. Review Immunization History
2. Assess for Needed Immunization
3. Screen for Contraindications and Precautions
4. Provide Education
5. Document Education
6. Prepare Vaccine
7. Administer Vaccine
8. Document Vaccination in medical registry and state vaccine registry

FLU VACCINE SPECIAL CONSIDERATIONS: SEEK CLINICIAN GUIDANCE

1. People with egg allergy
2. People with previous severe allergy with influenza vaccine
3. People with a history of Guillen Barre syndrome



COVID-19 Vaccine Schedule | CDC



Flu & People 65 Years and Older | CDC



COVID-19 Vaccines | CDC



People at Higher Risk of Flu Complications | CDC



Seasonal Flu Vaccines | CDC



VACCINE ADMINISTRATION PROCESS

1. Review Immunization History
2. Assess for Needed Immunization
3. Screen for Contraindications and Precautions
4. Provide Education
5. Document Education
6. Prepare Vaccine
7. Administer Vaccine
8. Document Vaccination in medical registry and state vaccine registry

FLU VACCINE SPECIAL CONSIDERATIONS: SEEK CLINICIAN GUIDANCE

1. People with egg allergy
2. People with previous severe allergy with influenza vaccine
3. People with a history of Guillen Barre syndrome



COVID-19 Vaccine Schedule | CDC



COVID-19 Vaccines | CDC



Seasonal Flu Vaccines | CDC



Flu & People 65 Years and Older | CDC



People at Higher Risk of Flu Complications | CDC



COVID-19 AND FLU VACCINES