

Quality Measure Tip Sheet

High Risk Residents with Pressure Injuries (Long Stay)

MDS Coding Requirements

- Determine deepest anatomical stage
- Identify unstageable pressure injuries
- Determine “present on admission”
- If the pressure injury was unstageable on admission, but becomes numerically stageable later, it should be considered “present on admission.”
- Note any worsening in pressure injuries since prior assessment.

Coding Tips

- Determine that the lesion being assessed is primarily related to pressure and that other conditions have been ruled out. If pressure is not the primary cause, do not code in M0300.
- DO NOT code skin tears, tape burns, moisture associated skin damage (MASD) or excoriation in M0300.
- When a pressure injury presents as an intact blister, examine the adjacent and surrounding area for signs of deep tissue injury. When a deep tissue injury is determined, DO NOT code as a Stage 2.

Ask These Questions

MDS

- Was the MDS coded per Resident Assessment Instrument (RAI) requirements?
- Does staff who code Section M have easy access to all wound care documentation?

Upon Admission

- Is the skin evaluated immediately upon admission and at least weekly thereafter for changes?
- Was a risk assessment completed upon admission?
- Are interventions immediately implemented for prevention and based on the risk score?
- Does your system include a second nurse “head-to-toe” check within 24 hours of admission/re-admission?

Quality Measure Tip Sheet

High Risk Residents with Pressure Injuries (Long Stay)

Staff

- When was the last time you did interactive training with front-line staff on prevention and reporting change in skin conditions? Or is your annual training on prevention done by having staff watch a video?
- Are CNAs performing skin assessments each shift? Are they reporting their findings to the nurses?
- Are nurses implementing interventions based on any changes in skin condition?
- Does your current system include at least weekly observations of “head-to-toe” check by a licensed nurse?

Prevention

- Does a criteria guide exist for the type of interventions to use, and is it accessible to floor nurses?
- Are the interventions communicated to front-line staff members, does a quality rounding process exist to ensure application of devices?
- Are at-risk residents reviewed on at least a weekly basis for potential changes and care plan modifications in care and treatment?
- At what stage are most of your pressure injuries first reported to the nurse? If it's Stage 2, challenge your team to identify injuries earlier so you have time to prevent further skin breakdown.

This material was prepared by Health Quality Innovators (HQI), a Quality Innovation Network-Quality Improvement Organization (QIN-QIO) under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services (HHS). Views expressed in this document do not necessarily reflect the official views or policy of CMS or HHS, and any reference to a specific product or entity herein does not constitute endorsement of that product or entity by CMS or HHS. 12SOW/HQI/QIN-QIO-0040-07/20/21

This tip sheet contains information from the MDS 3.0 RAI Manual accessed in October 2019 and MDS 3.0 Quality Measure User's Manual accessed in January 2020. The information presented is intended to enhance understanding of Quality Measures. The content does not take the place of, and is not at all inclusive of the comprehensive information and instructions provided by the MDS 3.0 RAI Manual and the MDS 3.0 Quality Measure User's Manual. Any updates to both the RAI and QM manual will supersede this content. Reader should utilize the most current manuals at all times.